

Recurrent Neural Networks (RNN), Long-Short-Term-Memory (LSTM), Attention and Transformer


Yuan YAO HKUST

Summary

- We have shown:
 - CNN Architectures: LeNet5, Alexnet, VGG, GoogleNet, Resnet
- Today:
 - Recurrent Neural Networks
 - LSTM/GRU
 - Attention
 - Transformer
- Reference:
 - ► Feifei Li, Stanford cs231n
 - Chris Manning, Stanford cs224n

Recurrent Neural Networks

Recurrent Neural Networks: Process Sequences



Sequential Processing of Non-Sequence Data

Classify images by taking a series of "glimpses"





Ba, Mnih, and Kavukcuoglu, "Multiple Object Recognition with Visual Attention", ICLR 2015.


Gregor et al, "DRAW: A Recurrent Neural Network For Image Generation", ICML 2015


Figure copyright Karol Gregor, Ivo Danihelka, Alex Graves, Danilo Jimenez Rezende, and Daan Wierstra, 2015. Reproduced with

Recurrent Neural Network










RNN

Χ

We can process a sequence of vectors **x** by applying a **recurrence formula** at every time step:

$$h_t = f_W(h_{t-1}, x_t)$$


Notice: the same function and the same set of parameters are used at every time step.



Vanilla Recurrent Neural Networks

State Space equations in feedback dynamical systems


The state consists of a single "hidden" vector **h**:



Linear Dynamical Systems (1940s-)

- The hidden state has linear dynamics with Gaussian noise and produces the observations using a linear model with Gaussian noise.
- Kalman Filter: A linearly transformed Gaussian is a Gaussian. So the distribution over the hidden state given the data so far is Gaussian. It can be computed using "Kalman filtering".
- To predict the next output (so that we can shoot down the missile) we need to infer the hidden state.

$$h_t = W_{hh}h_{t-1} + W_{hx}x_t + \epsilon_t^h$$
$$y_t = W_{yh}h_t + W_{yx}x_t + \epsilon_t^y$$





Hidden Markov Models (1970s-)

Hidden Markov Models have a discrete one-of-N hidden state. Transitions between states are stochastic and controlled by a transition matrix.

The outputs produced by a state are stochastic.

- We cannot be sure which state produced a given output. So the state is "hidden".
- It is easy to represent a probability distribution across N states with N numbers.
- To predict the next output we need to infer the probability distribution over hidden states.
 - HMMs have efficient algorithms (Baum-Welch or EM Algorithm) for inference and learning.
 - Jim Simons hires Lenny Baum as the founding member of Renaissance Technologies in 1979






Recurrent Neural Networks

- The issue of a hidden Markov model (HMM):
 - ► At each time step it must select one of its hidden states. So with N hidden states it can only remember log(N) bits about what it generated so far.
- RNNs are very powerful, because they combine two properties:
 - Distributed hidden state that allows them to store a lot of information about the past efficiently.
 - Non-linear dynamics that allows them to update their hidden state in complicated ways.
- With enough neurons and time, RNNs can compute anything that can be computed by your computer.


RNN: Computational Graph



Time invariant systems


RNN: Computational Graph

Re-use the same weight matrix at every time-step




Outputs added


RNN: Computational Graph: Many to Many




Loss modules



RNN: Computational Graph: Many to One



RNN: Computational Graph: One to Many




Sequence to Sequence: Many-to-one + one-to-many

sequence from single input vector Many to one: Encode input sequence in a single vector Χ

One to many: Produce output

Vocabulary: [h,e,l,o]


Example training sequence: "hello"



 $h_t = anh(W_{hh}h_{t-1} + W_{xh}x_t)$


Vocabulary: [h,e,l,o]

Example training sequence: "hello"




Vocabulary: [h,e,l,o]


Example training sequence: "hello"




Vocabulary: [h,e,l,o]




Vocabulary: [h,e,l,o]




Vocabulary: [h,e,l,o]




Vocabulary: [h,e,l,o]






Truncated Backpropagation through time



Run forward and backward through chunks of the sequence instead of whole sequence

Truncated Backpropagation through time



Carry hidden states forward in time forever, but only backpropagate for some smaller number of steps

Truncated Backpropagation through time Loss


Example: Text->RNN

THE SONNETS

by William Shakespeare

From fairest creatures we desire increase,
That thereby beauty's rose might never die,
But as the riper should by time decease,
His tender heir might bear his memory:
But thou, contracted to thine own bright eyes,
Feed'st thy light's flame with self-substantial fuel,
Making a famine where abundance lies,
Thyself thy foe, to thy sweet self too cruel:
Thou that art now the world's fresh ornament,
And only herald to the gaudy spring,
Within thine own bud buriest thy content,
And tender churl mak'st waste in niggarding:
Pity the world, or else this glutton be,
To eat the world's due, by the grave and thee.

When forty winters shall besiege thy brow,
And dig deep trenches in thy beauty's field,
Thy youth's proud livery so gazed on now,
Will be a tatter'd weed of small worth held:
Then being asked, where all thy beauty lies,
Where all the treasure of thy lusty days;
To say, within thine own deep sunken eyes,
Were an all-eating shame, and thriftless praise.
How much more praise deserv'd thy beauty's use,
If thou couldst answer 'This fair child of mine
Shall sum my count, and make my old excuse,'
Proving his beauty by succession thine!
This were to be new made when thou art old,
And see thy blood warm when thou feel'st it cold.



https://gist.github.com/karpathy/d4dee566867f8291f086

at first:

tyntd-iafhatawiaoihrdemot lytdws e ,tfti, astai f ogoh eoase rrranbyne 'nhthnee e plia tklrgd t o idoe ns,smtt h ne etie h,hregtrs nigtike,aoaenns lng

train more

"Tmont thithey" fomesscerliund Keushey. Thom here sheulke, anmerenith ol sivh I lalterthend Bleipile shuwy fil on aseterlome coaniogennc Phe lism thond hon at. MeiDimorotion in ther thize."

train more

Aftair fall unsuch that the hall for Prince Velzonski's that me of her hearly, and behs to so arwage fiving were to it beloge, pavu say falling misfort how, and Gogition is so overelical and ofter.

train more

"Why do what that day," replied Natasha, and wishing to himself the fact the princess, Princess Mary was easier, fed in had oftened him. Pierre aking his soul came to the packs and drove up his father-in-law women.

Image Captioning





Figure from Karpathy et a, "Deep Visual-Semantic Alignments for Generating Image Descriptions", CVPR 2015; figure copyright IEEE, 2015.

Explain Images with Multimodal Recurrent Neural Networks, Mao et al.

Deep Visual-Semantic Alignments for Generating Image Descriptions, Karpathy and Fei-Fei Show and Tell: A Neural Image Caption Generator, Vinyals et al.

Long-term Recurrent Convolutional Networks for Visual Recognition and Description, Donahue et al. Learning a Recurrent Visual Representation for Image Caption Generation, Chen and Zitnick

Recurrent Neural Network




Convolutional Neural Network

image conv-64 conv-64 maxpool conv-128 conv-128 maxpool conv-256 conv-256 maxpool conv-512 conv-512 maxpool conv-512 conv-512 maxpool FC-4096 FC-4096 FC-1000 softmax





test image




_test image












Image Captioning: Example Results

Captions generated using neuraltalk2 All images are CC0 Public domain: cat suitcase, cat tree, dog, bear, surfers, tennis, giraffe, motorcycle



A cat sitting on a suitcase on the floor



A cat is sitting on a tree branch



A dog is running in the grass with a frisbee



A white teddy bear sitting in the grass



Two people walking on the beach with surfboards



A tennis player in action on the court



Two giraffes standing in a grassy field



A man riding a dirt bike on a dirt track

Fei-Fei Li & Justin Johnson & Serena Yeung

Lecture 10 - 75 May 4, 2017


Image Captioning: Failure Cases



A woman is holding a cat in her hand



A person holding a computer mouse on a desk



A woman standing on a beach holding a surfboard



A bird is perched on a tree branch




A man in a baseball uniform throwing a ball


Fei-Fei Li & Justin Johnson & Serena Yeung

Lecture 10 - 76 May 4, 2017


RNN focuses its attention at a different spatial location when generating each word





Xu et al, "Show, Attend, and Tell: Neural Image Caption Generation with Visual Attention", ICML 2015
Figure copyright Kelvin Xu, Jimmy Lei Ba, Jamie Kiros, Kyunghyun Cho, Aaron Courville, Ruslan Salakhutdinov, Richard S. Zemel, and Yoshua Benchio, 2015. Reproduced with permission.





Xu et al, "Show, Attend and Tell: Neural Image Caption Generation with Visual Attention", ICML 2015











Xu et al, "Show, Attend, and Tell: Neural Image Caption Generation with Visual Attention", ICML 2015
Figure copyright Kelvin Xu, Jimmy Lei Ba, Jamie Kiros, Kyunghyun Cho, Aaron Courville, Ruslan Salakhutdinov, Richard S. Zemel, and Yoshua Benchio, 2015. Reproduced with permission.



A woman is throwing a frisbee in a park.



A dog is standing on a hardwood floor.



A <u>stop</u> sign is on a road with a mountain in the background.



A little <u>girl</u> sitting on a bed with a teddy bear.




A group of <u>people</u> sitting on a boat in the water.




A giraffe standing in a forest with <u>trees</u> in the background.

Xu et al, "Show, Attend, and Tell: Neural Image Caption Generation with Visual Attention", ICML 2015
Figure copyright Kelvin Xu, Jimmy Lei Ba, Jamie Kiros, Kyunghyun Cho, Aaron Courville, Ruslan Salakhutdinov, Richard S. Zemel, and Yoshua Benchio, 2015. Reproduced with permission.

The Fundamental Deep Learning Problem: Vanishing / Exploding Gradients



Bengio et al, "Learning long-term dependencies with gradient descent is difficult", IEEE Transactions on Neural Networks, 1994
Pascanu et al, "On the difficulty of training recurrent neural networks", ICML 2013




$$h_{t} = \tanh(W_{hh}h_{t-1} + W_{xh}x_{t})$$

$$= \tanh\left(\left(W_{hh} \quad W_{hx}\right) \begin{pmatrix} h_{t-1} \\ x_{t} \end{pmatrix}\right)$$

$$= \tanh\left(W \begin{pmatrix} h_{t-1} \\ x_{t} \end{pmatrix}\right)$$

Bengio et al, "Learning long-term dependencies with gradient descent is difficult", IEEE Transactions on Neural Networks, 1994
Pascanu et al, "On the difficulty of training recurrent neural networks", ICML 2013

Backpropagation from h_t to h_{t-1} multiplies by W (actually W_{hh}^{T})




$$h_{t} = \tanh(W_{hh}h_{t-1} + W_{xh}x_{t})$$

$$= \tanh\left(\left(W_{hh} \quad W_{hx}\right) \begin{pmatrix} h_{t-1} \\ x_{t} \end{pmatrix}\right)$$


$$= \tanh\left(W\begin{pmatrix} h_{t-1} \\ x_{t} \end{pmatrix}\right)$$

Bengio et al, "Learning long-term dependencies with gradient descent is difficult", IEEE Transactions on Neural Networks, 1994
Pascanu et al, "On the difficulty of training recurrent neural networks", ICML 2013



Computing gradient of h₀ involves many factors of W (and repeated tanh)

Bengio et al, "Learning long-term dependencies with gradient descent is difficult", IEEE Transactions on Neural Networks, 1994
Pascanu et al, "On the difficulty of training recurrent neural networks", ICML 2013



Computing gradient of h₀ involves many factors of W (and repeated tanh)


Largest singular value > 1:

Exploding gradients

Largest singular value < 1:

Vanishing gradients

Bengio et al, "Learning long-term dependencies with gradient descent is difficult", IEEE Transactions on Neural Networks, 1994
Pascanu et al, "On the difficulty of training recurrent neural networks", ICML 2013



Computing gradient of h₀ involves many factors of W (and repeated tanh)


Largest singular value > 1: **Exploding gradients**

Largest singular value < 1: Vanishing gradients

Gradient clipping: Scale gradient if its norm is too big

```
grad_norm = np.sum(grad * grad)
if grad_norm > threshold:
    grad *= (threshold / grad_norm)
```

Bengio et al, "Learning long-term dependencies with gradient descent is difficult", IEEE Transactions on Neural Networks, 1994
Pascanu et al, "On the difficulty of training recurrent neural networks", ICML 2013



Computing gradient of h₀ involves many factors of W (and repeated tanh)

Largest singular value > 1: **Exploding gradients**

Largest singular value < 1: Vanishing gradients

→ Change RNN architecture

Long Short Term Memory (LSTM)

Long-Short-Term-Memory (LSTM)

- A type of RNN proposed by Hochreiter and Schmidhuber in 1997 as a solution to the vanishing gradients problem.
 - "Long short-term memory", Hochreiter and Schmidhuber, Neural Computation, 9(8):1735-1780, 1997. Link: https://www.bioinf.jku.at/publications/older/2604.pdf
- On time step t, there is a hidden state h and a cell state c
 - Both are vectors length n
 - The cell stores long-term information
 - The LSTM can erase, write and read information from the cell
- The selection of which information is erased/written/read is controlled by three corresponding gates
 - The gates are also vectors length n
 - On each time step, each element of the gates can be open (1), closed (0),
 - or somewhere in-between.
 - The gates are dynamic: their value is computed based on the current context

Long-Short-Term-Memory (LSTM)

We have a sequence of inputs $m{x}^{(t)}$, and we will compute a sequence of hidden states $m{h}^{(t)}$ and cell states $c^{(t)}$. On timestep t:

Forget gate: controls what is kept vs forgotten, from previous cell state

Input gate: controls what parts of the new cell content are written to cell

Output gate: controls what parts of cell are output to hidden state

New cell content: this is the new content to be written to the cell

<u>Cell state</u>: erase ("forget") some content from last cell state, and write ("input") some new cell content

Hidden state: read ("output") some content from the cell

Sigmoid function: all gate values are between 0 and 1

$$egin{aligned} oldsymbol{f}^{(t)} &= \sigma \left(oldsymbol{W}_f oldsymbol{h}^{(t-1)} + oldsymbol{U}_f oldsymbol{x}^{(t)} + oldsymbol{b}_f
ight) \ oldsymbol{i}^{(t)} &= \sigma \left(oldsymbol{W}_i oldsymbol{h}^{(t-1)} + oldsymbol{U}_i oldsymbol{x}^{(t)} + oldsymbol{b}_i
ight) \ oldsymbol{o}^{(t)} &= \sigma \left(oldsymbol{W}_o oldsymbol{h}^{(t-1)} + oldsymbol{U}_o oldsymbol{x}^{(t)} + oldsymbol{b}_o
ight) \end{aligned}$$

$$oldsymbol{i}^{(t)} = \sigma \left(oldsymbol{W}_i oldsymbol{h}^{(t-1)} + oldsymbol{U}_i oldsymbol{x}^{(t)} + oldsymbol{b}_i
ight)$$

$$oldsymbol{o}^{(t)} = \sigma \left(oldsymbol{W}_o oldsymbol{h}^{(t-1)} + oldsymbol{U}_o oldsymbol{x}^{(t)} + oldsymbol{b}_o
ight)$$

$$ilde{oldsymbol{c}} ilde{oldsymbol{c}}^{(t)} = anh\left(oldsymbol{W}_c oldsymbol{h}^{(t-1)} + oldsymbol{U}_c oldsymbol{x}^{(t)} + oldsymbol{b}_c
ight)$$

$$oldsymbol{c}^{(t)} = oldsymbol{f}^{(t)} \circ oldsymbol{c}^{(t-1)} + oldsymbol{i}^{(t)} \circ ilde{oldsymbol{c}}^{(t)}$$


$$o oldsymbol{h}^{(t)} = oldsymbol{o}^{(t)} \circ anh oldsymbol{c}^{(t)}$$

Gates are applied using element-wise product

All these are vectors of same length $\it n$


LSTM Flowchart

Source: http://colah.github.io/posts/2015-08-Understanding-LSTMs/



Long Short Term Memory (LSTM): Gradient Flow

[Hochreiter et al., 1997]



Backpropagation from c_t to c_{t-1} only elementwise multiplication by f, no matrix multiply by W


$$\begin{pmatrix} i \\ f \\ o \\ g \end{pmatrix} = \begin{pmatrix} \sigma \\ \sigma \\ \sigma \\ \tanh \end{pmatrix} W \begin{pmatrix} h_{t-1} \\ x_t \end{pmatrix}$$

$$c_t = f \odot c_{t-1} + i \odot g$$

$$h_t = o \odot \tanh(c_t)$$

Long Short Term Memory (LSTM): Gradient Flow [Hochreiter et al., 1997]


Uninterrupted gradient flow!



Gated Recurrent Unit (GRU)


Gated Recurrent Unit: tanh RNN

(tanh) RNN is expensive in exploiting the whole register



Gated Recurrent Unit (GRU)

GRU is much more economic for computation!



GRU

"Learning Phrase Representations using RNN Encoder–Decoder for Statistical Machine Translation", Cho et al. 2014, https://arxiv.org/pdf/1406.1078v3.pdf

<u>Update gate:</u> controls what parts of hidden state are updated vs preserved

Reset gate: controls what parts of previous hidden state are used to compute new content

New hidden state content: reset gate selects useful parts of prev hidden state. Use this and current input to compute new hidden content.

Hidden state: update gate simultaneously controls what is kept from previous hidden state, and what is updated to new hidden state content

$$egin{aligned} oldsymbol{u}^{(t)} &= \sigma \left(oldsymbol{W}_u oldsymbol{h}^{(t-1)} + oldsymbol{U}_u oldsymbol{x}^{(t)} + oldsymbol{b}_u
ight) \ oldsymbol{r}^{(t)} &= \sigma \left(oldsymbol{W}_r oldsymbol{h}^{(t-1)} + oldsymbol{U}_r oldsymbol{x}^{(t)} + oldsymbol{b}_r
ight) \end{aligned}$$

$$ilde{m{h}}^{(t)} = anh\left(m{W}_h(m{r}^{(t)} \circ m{h}^{(t-1)}) + m{U}_hm{x}^{(t)} + m{b}_h
ight)$$
 $m{h}^{(t)} = (1 - m{u}^{(t)}) \circ m{h}^{(t-1)} + m{u}^{(t)} \circ ilde{m{h}}^{(t)}$

How does this solve vanishing gradient?
Like LSTM, GRU makes it easier to retain info long-term (e.g. by setting update gate to 0)

GRU and LSTM

Gated Recurrent Unit

[Cho et al., EMNLP2014; Chung, Gulcehre, Cho, Bengio, DLUFL2014]

$$h_{t} = u_{t} \odot \tilde{h}_{t} + (1 - u_{t}) \odot h_{t-1}$$

$$\tilde{h}_{t} = \tanh(W [x_{t}] + U(r_{t} \odot h_{t-1}) + b)$$

$$u_{t} = \sigma(W_{u} [x_{t}] + U_{u}h_{t-1} + b_{u})$$

$$r_{t} = \sigma(W_{r} [x_{t}] + U_{r}h_{t-1} + b_{r})$$

Long Short-Term Memory

[Hochreiter & Schmidhuber, NC1999; Gers, Thesis2001]

$$h_t = o_t \odot \tanh(c_t)$$

$$c_t = f_t \odot c_{t-1} + i_t \odot \tilde{c}_t$$

$$\tilde{c}_t = \tanh(W_c [x_t] + U_c h_{t-1} + b_c)$$

$$o_t = \sigma(W_o [x_t] + U_o h_{t-1} + b_o)$$

$$i_t = \sigma(W_i [x_t] + U_i h_{t-1} + b_i)$$

$$f_t = \sigma(W_f [x_t] + U_f h_{t-1} + b_f)$$

LSTM vs. GRU

- Researchers have proposed many gated RNN variants, but LSTM and GRU are the most widely-used
- The biggest difference is that GRU is quicker to compute and has fewer parameters
- There is no conclusive evidence that one consistently performs better than the other
- LSTM is a good default choice (especially if your data has particularly long dependencies, or you have lots of training data)
- Rule of thumb: start with LSTM, but switch to GRU if you want something more efficient

Is vanishing/exploding gradient just a RNN problem?

- No! It can be a problem for all neural architectures (including feed-forward and convolutional), especially deep ones.
 - Due to chain rule / choice of nonlinearity function, gradient can become vanishingly small as
 it backpropagates
 - Thus early layers are learnt very slowly (hard to train)
 - Solution: lots of new deep feedforward/convolutional architectures that add more direct connections (thus allowing the gradient to flow)
- For example:
 - "HighwayNet" with highway connections:
 - Similar to residual connections, but the identity connection vs the transformation layer is controlled by a dynamic gate
 - Inspired by LSTMs, but applied to deep feedforward/convolutional networks
 - ResNet with residual connections, inspired by HighwayNet
 - DenseNet directly connect everything to everything!

Summary

- RNN is flexible in architectures
- Vanilla RNNs are simple but don't work very well
- Common to use LSTM or GRU: their additive interactions improve gradient flow
 - Backward flow of gradients in RNN can explode or vanish.
 - Exploding is controlled with gradient clipping.
 - Vanishing is controlled with additive interactions

Some Historical Remarks on LSTM

- [**LSTM0**] S. Hochreiter and J. Schmidhuber. <u>Long Short-Term Memory.</u> TR FKI-207-95, TUM, August 1995. Link: https://people.idsia.ch/~juergen/FKI-207-95ocr.pdf
- [LSTM1] S. Hochreiter, J. Schmidhuber. Long Short-Term Memory. Neural Computation, 9(8):1735-1780, 1997. Based on [LSTM0].
- [LSTM2] F. A. Gers, J. Schmidhuber, F. Cummins. Learning to Forget: Continual Prediction with LSTM. Neural Computation, 12(10):2451-2471, 2000. The "vanilla LSTM architecture" with forget gates that everybody is using today, e.g., in Google's Tensorflow.
- [LSTM3] A. Graves, J. Schmidhuber. Framewise phoneme classification with bidirectional LSTM and other neural network architectures. Neural Networks, 18:5-6, pp. 602-610, 2005.



Schmidhuber: "In 2020 we celebrated the quarter-century anniversary of LSTM's first failure to pass peer review. After the main peer-reviewed publication in 1997 [LSTM1] (now the most cited article in the history of Neural Computation), LSTM and its training procedures were further improved on my Swiss LSTM grants at IDSIA through the work of my later students Felix Gers, Alex Graves, and others. A milestone was the "vanilla LSTM architecture" with forget gate [LSTM2]—the LSTM variant of 1999-2000 that everybody is using today, e.g., in Google's Tensorflow. 2005 saw the first publication of LSTM with full backpropagation through time and of bi-directional LSTM [LSTM3] (now widely used)."





Some Historical Remarks on HighwayNet

- [HW1] R. K. Srivastava, K. Greff, J. Schmidhuber. Highway networks. Preprints arXiv:1505.00387 (May 2015) and arXiv:1507.06228 (July 2015). Also at NIPS 2015. The first working very deep feedforward nets with over 100 layers (previous NNs had at most a few tens of layers). Let g, t, h, denote non-linear differentiable functions. Each non-input layer of a highway net computes g(x)x + t(x)h(x), where x is the data from the previous layer. (Like LSTM with forget gates [LSTM2] for RNNs.) Resnets [HW2] are a special case of this where the gates are always open: g(x)=t(x)=const=1. Highway Nets perform roughly as well as ResNets [HW2] on ImageNet. [HW3] Highway layers are also often used for natural language processing, where the simpler residual layers do not work as well. [HW3]
- [HW2] He, K., Zhang, X., Ren, S., Sun, J. Deep residual learning for image recognition. Preprint <u>arXiv:1512.03385</u> (Dec 2015). Residual nets are a special case of Highway Nets^[HW1] where the gates are always open: g(x)=1 (a typical highway net initialization) and t(x)=1.
- ► [HW3] K. Greff, R. K. Srivastava, J. Schmidhuber. Highway and Residual Networks learn Unrolled Iterative Estimation. Preprint <u>arxiv:1612.07771</u> (2016). Also at ICLR 2017.

Some Historical Remarks on the "credit" debate

- [VAN1] S. Hochreiter. Untersuchungen zu dynamischen neuronalen Netzen. Diploma thesis, TUM, 1991 (advisor <u>J. Schmidhuber</u>). Link: http://www.idsia.ch/~juergen/SeppHochreiter1991ThesisAdvisorSchmidhuber.pdf
- [VAN2] Y. Bengio, P. Simard, P. Frasconi. Learning long-term dependencies with gradient descent is difficult. IEEE TNN 5(2), p 157-166, 1994
- [VAN3] S. Hochreiter, Y. Bengio, P. Frasconi, J. Schmidhuber. Gradient flow in recurrent nets: the difficulty of learning long-term dependencies. In S. C. Kremer and J. F. Kolen, eds., A Field Guide to Dynamical Recurrent Neural Networks. IEEE press, 2001
- [VAN4] Y. Bengio. Neural net language models. Scholarpedia, 3(1):3881, 2008. Link: http://www.scholarpedia.org/article/Neural_net_language_models?CachedSimilar13
- J. SchmidHuber (https://people.idsia.ch/~juergen/deep-learning-miraculous-year-1990-1991.html#Sec.%203):
 - "As a part of his thesis, Sepp implemented the Neural History Compressor above (see <u>Sec. 1</u>) and other RNN-based systems (see <u>Sec. 11</u>). However, he did much more: His work formally showed that deep NNs suffer from the now famous problem of vanishing or exploding gradients: in typical deep or recurrent networks, back-propagated error signals either shrink rapidly, or grow out of bounds. In both cases, learning fails. This analysis led to basic principles of what's now called LSTM (see <u>Sec. 4</u>)."
 - "Interestingly, in 1994, others published results [VAN2] essentially identical to the 1991 vanishing gradient results of Sepp. [VAN1] Even after a common publication [VAN3] the first author of reference [VAN2] published papers [VAN4] that cited only their own 1994 paper but not Sepp's original work."





The Nobel Prize in Physics 2024



Ill. Niklas Elmehed © Nobel Prize Outreach

John J. Hopfield

Prize share: 1/2



Ill. Niklas Elmehed © Nobel Prize Outreach

Geoffrey E. Hinton

Prize share: 1/2

The Nobel Prize in Physics 2024 was awarded jointly to John J. Hopfield and Geoffrey E. Hinton "for foundational discoveries and inventions that enable machine learning with artificial neural networks"

To cite this section

MLA style: The Nobel Prize in Physics 2024. NobelPrize.org. Nobel Prize Outreach AB 2024. Wed. 16 Oct 2024. https://www.nobelprize.org/prizes/physics/2024/summary/

The Nobel Prize in Chemistry 2024



Ill. Niklas Elmehed © Nobel Prize Outreach

David Baker

Prize share: 1/2



Ill. Niklas Elmehed © Nobel Prize Outreach

Demis Hassabis

Prize share: 1/4



Ill. Niklas Elmehed © Nobel Prize Outreach **John M. Jumper**


Prize share: 1/4

The Nobel Prize in Chemistry 2024 was divided, one half awarded to David Baker "for computational protein design", the other half jointly to Demis Hassabis and John M. Jumper "for protein structure prediction"

o cite this section

MLA style: The Nobel Prize in Chemistry 2024. Nobel Prize.org. Nobel Prize Outreach AB 2024. Wed. 16 Oct 2024. https://www.nobelprize.org/prizes/chemistry/2024/summary/

Jurgen's critics and Geoff's response



Ivakhnenko & Lapa (Ukraine, 1965)[DEEP1-2][HIN]. It didn't cite Amari's separate work (1967-68)[GD1-2] on learning internal representations in deep NNs end-to-end through stochastic gradient descent (SGD). Not even the later surveys by the authors [S20][DL3][DLP] nor the "Scientific Background to the Nobel Prize in Physics 2024" mention these origins of deep learning. ([BM] also did not cite relevant prior work by Sherrington & Kirkpatrick [SK75] & Glauber [G63].)

3. The Nobel Committee also lauds Hinton et al.'s 2006 method for layer-wise pretraining of deep NNs (2006) [UN4]. However, this work

neither cited the original layer-wise training of deep NNs by Ivakhnenko

& Lapa (1965)[DEEP1-2] nor the original work on unsupervised

pretraining of deep NNs (1991) [UNO-1][DLP].

hidden units of neural networks (NNs) [S20]. It didn't cite the first

working algorithm for deep learning of internal representations by

4. The "Popular information" says: "At the end of the 1960s, some discouraging theoretical results caused many researchers to suspect that these neural networks would never be of any real use." However, deep learning research was obviously alive and kicking in the 1960s-70s especially outside of the Anglosphere [DEEP1-2][GD1-3][CNN1][DL1-2]

5. Many additional cases of plagiarism and incorrect attribution can be found in the following reference [DLP], which also contains the other references above. One can start with Sec. 3:

https://x.com/hardmaru/status/1253189802452647936



[-] **geoffhinton** Google Brain 46 points 4 hours ago

Having a public debate with Schmidhuber about academic credit is not advisable because it just encourages him and there is no limit to the time and effort that he is willing to put into trying to discredit his perceived rivals. He has even resorted to tricks like having multiple aliases in Wikipedia to make it look as if other people are agreeing with what he says. The page on his website about Alan Turing is a nice example of how he goes about trying to diminish other people's contributions.

Despite my own best judgement, I feel that I cannot leave his charges completely unanswered so I am going to respond once and only once. I have never claimed that I invented backpropagation. David Rumelhart invented it independently long after people in other fields had invented it. It is true that when we first published we did not know the history so there were previous inventors that we failed to cite. What I have claimed is that I was the person to clearly demonstrate that backpropagation could learn interesting internal representations and that this is what made it popular. I did this by forcing a neural net to learn vector representations for words such that it could predict the next word in a sequence from the vector representations of the previous words. It was this example that convinced the Nature referees to publish the 1986 paper.

It is true that many people in the press have said I invented backpropagation and I have spent a lot of time correcting them. Here is an excerpt from the 2018 book by Michael Ford entitled "Architects of Intelligence":

"Lots of different people invented different versions of backpropagation before David Rumelhart. They were mainly independent inventions and it's something I feel I have got too much credit for. I've seen things in the press that say that I invented backpropagation, and that is completely wrong. It's one of these rare cases where an academic feels he has got too much credit for something! My main contribution was to show how you can use it for learning distributed representations, so I'd like to set the record straight on that."

Maybe Juergen would like to set the record straight on who invented LSTMs?

[DLP] J. Schmidhuber (2023). How 3 Turing awardees republished key methods and ideas whose creators they failed to credit. Technical Report IDSIA-23-23, Swiss AI Lab IDSIA, 14 Dec 2023. people.idsia.ch/~juergen/ai-pr...

See also the following reference [DLH] for a history of the field:


[DLH] J. Schmidhuber (2022). Annotated History of Modern AI and Deep Learning. Technical Report IDSIA-22-22, IDSIA, Lugano, Switzerland, 2022. Preprint arXiv:2212.11279. people.idsia.ch/~juergen/deep-... (This extends the 2015 award-winning survey people.idsia.ch/~juergen/deep-...)


10:30 PM · Oct 9, 2024 · **1M** Views

https://x.com/SchmidhuberAl/status/1844022724328394780

Bi-Direction

Motivation of Bidirection





Bidirectional RNN: simplified diagram



This is a general notation to mean "compute one forward step of the RNN" – it could be a vanilla, LSTM or GRU computation.

$$\overrightarrow{m{h}}^{(t)} = \overline{ ext{RNN}_{ ext{FW}}}(\overrightarrow{m{h}}^{(t-1)}, m{x}^{(t)})$$

Forward RNN
$$\overrightarrow{m{h}}^{(t)} = \overline{\text{RNN}_{\text{FW}}}(\overrightarrow{m{h}}^{(t-1)}, m{x}^{(t)})$$
 Generally, these two RNNs have separate weights


separate weights

Concatenated hidden states
$$m{h}^{(t)} = [\overrightarrow{m{h}}^{(t)}; \overleftarrow{m{h}}^{(t)}]$$

We regard this as "the hidden state" of a bidirectional RNN. This is what we pass on to the next parts of the network.


Bidirectional RNN: simplified diagram

The two-way arrows indicate bidirectionality and the depicted hidden states are assumed to be the concatenated forwards+backwards states.



Uni-Direction LSTM


Semi-Supervised Sequence Learning, Google, 2015




Bi-Direction LSTM: ELMo -- Embeddings from Language Models

- Peters et al. (2018) Deep Contextual Word Embeddings, NAACL 2018. https://arxiv.org/abs/1802.05365
- Learn a deep Bi-NLM and use all its layers in prediction

Train Separate Left-to-Right and Right-to-Left LMs



Apply as "Pre-trained Embeddings"



Bidirectional RNNs

- Note: bidirectional RNNs are only applicable if you have access to the entire input sequence.
 - They are **not** applicable to Language Modeling, because in LM you only have left context available.
 - ► For example, **GPT** (Generative Pre-trained Transformer) is **unidirectional** generative model
- If you do have entire input sequence (e.g. any kind of encoding), bidirectionality is powerful (you should use it by default).
 - For example, BERT (Bidirectional Encoder Representations from Transformers) is a powerful pretrained contextual representation system built on bidirectionality.


History note

- In 2013-2015, LSTMs started achieving state-of-the-art results
 - Successful tasks include: handwriting recognition, speech
 - recognition, machine translation, parsing, image captioning
 - LSTM became the dominant approach
- Now (2019), other approaches (e.g. Transformers) have become more dominant for certain tasks.
 - For example in WMT (a MT conference + competition):
 - In WMT 2016, the summary report contains "RNN" 44 times
 - In WMT 2018, the report contains "RNN" 9 times and "**Transformer**" 63 times
 - Source: "Findings of the 2016 Conference on Machine Translation (WMT16)", Bojar et al. 2016, http://www.statmt.org/wmt16/pdf/W16-2301.pdf
 - Source: "Findings of the 2018 Conference on Machine Translation (WMT18)", Bojar et al. 2018, http://www.statmt.org/wmt18/pdf/WMT028.pdf

Neural Machine Translation

Machine Translation using Neural Networks


Neural Machine Translation (NMT)




Sequence-to-sequence is versatile!

- Sequence-to-sequence is useful for more than just MT
- Many NLP tasks can be phrased as sequence-to-sequence:
 - Summarization (long text → short text)
 - Dialogue (previous utterances → next utterance)
 - Parsing (input text → output parse as sequence)
 - Code generation (natural language → Python code)

many to many




Training a NMT system by BP



Greedy Decoding

- We generate (or "decode") the target sentence by taking argmax on each step of the decoder, called greedy decoding (take most probable word on each step)
- It may not correct once wrong decisions are made




Beam Search Decoding

- Core idea: On each step of decoder, keep track of the k most probable partial translations (which we call hypotheses)
 - k is the beam size (in practice around 5 to 10)
- \blacksquare A hypothesis (y(1),...,y(t)) has a score which is its log probability:

score
$$(y_1, ..., y_t) = \log P_{LM}(y_1, ..., y_t | x) = \sum_{i=1}^t \log P_{LM}(y_i | y_1, ..., y_{i-1}, x)$$


- Scores are all negative, and higher score is better
- We search for high-scoring hypotheses, tracking top k on each step
- Beam search is not guaranteed to find optimal solution
- But much more efficient than exhaustive search!

Beam search decoding example:



For each of the *k* hypotheses, find top *k* next words and calculate scores

Sequence-to-sequence: the bottleneck problem





Attention Mechanism


The idea was originally coined in computer vision, then to NLP.


<u>Dzmitry Bahdanau</u>, <u>Kyunghyun Cho</u>, <u>Yoshua Bengio</u>. **Neural Machine Translation by Jointly Learning to Align and Translate.** *ICLR 2015*. arXiv:1409.0473


Sequence-to-sequence with attention



















Attention in Equations

- We have encoder hidden states $h_1, \dots, h_N \in \mathbb{R}^h$
- On timestep t, we have decoder hidden state $s_t \in \mathbb{R}^h$
- We get the attention scores e^t for this step:

$$oldsymbol{e}^t = [oldsymbol{s}_t^T oldsymbol{h}_1, \dots, oldsymbol{s}_t^T oldsymbol{h}_N] \in \mathbb{R}^N$$

• We take softmax to get the attention distribution α^t for this step (this is a probability distribution and sums to 1)

$$\alpha^t = \operatorname{softmax}(\boldsymbol{e}^t) \in \mathbb{R}^N$$

• We use $\ \alpha^t$ to take a weighted sum of the encoder hidden states to get the attention output $\ _N$


$$oldsymbol{a}_t = \sum_{i=1}^N lpha_i^t oldsymbol{h}_i \in \mathbb{R}^h$$

• Finally we concatenate the attention output a_t with the decoder hidden state s_t and proceed as in the non-attention seq2seq model

$$[oldsymbol{a}_t;oldsymbol{s}_t]\in\mathbb{R}^{2h}$$

Motivation of Transformer

We want parallelization but RNNs are inherently sequential




- Despite LSTMs, RNNs generally need attention mechanism to deal with long range dependencies – path length between states grows with distance otherwise
- But if **attention** gives us access to any state... maybe we can just use attention and don't need the RNN?
- And then NLP can have deep models ... and solve our vision envy

Transformer

"Attention is all you need"

Transformer (Vaswani et al. 2017) "Attention is all you need"

- https://arxiv.org/pdf/1706.03762.pdf
- Non-recurrent sequence-to-sequence model
- A deep model with a sequence of attentionbased transformer blocks
- Depth allows a certain amount of lateral information transfer in understanding sentences, in slightly unclear ways
- Final cost/error function is standard crossentropy error on top of a softmax classifier
- Initially built for NMT:
 - Task: machine translation with parallel corpus
 - Predict each translated word




Output

Transformer Pytorch Notebook


- Learning about transformers on your own?
- Key recommended resource:
 - http://nlp.seas.harvard.edu/2018/04/03/attention.html
 - The Annotated Transformer by Sasha Rush, a Jupyter Notebook using PyTorch that explains everything!
 - https://jalammar.github.io/illustrated-transformer/
 - Illustrated Transformer by Jay Alammar, a Cartoon about Transformer with attention visualization notebook based on Tensor2Tensor.

Encoder-Decoder Blocks

Encoder-Decoder





N=6 layers



Encoder has two layers


Self-Attention + FeedForward






Attention Illustration

Embedding->(q,k,v)



Dot-Product Attention




Dot-Product Self-Attention: Definition

- Inputs: a query q and a set of key-value (k-v) pairs, to an output
- Query, keys, values, and output are all vectors
- Output is weighted sum of values, where
 - Weight of each value is computed by an inner product of query and corresponding key
 - Queries and keys have same dimensionality d_k, value have d_v


$$A(q, K, V) = \sum_{i} \frac{e^{q \cdot k_i}}{\sum_{j} e^{q \cdot k_j}} v_i$$

Attention: Multiple Inputs

Matrix input




Scaled dot-product



Dot-Product Attention: Matrix Form

When we have multiple queries q, we stack them in a matrix Q:

$$A(q, K, V) = \sum_{i} \frac{e^{q \cdot k_i}}{\sum_{j} e^{q \cdot k_j}} v_i$$




 $[|Q| \times d_k] \times [d_k \times |K|] \times [|K| \times d_v]$

softmax row-wise








Scaled Dot-Product Attention

- **Problem**: As d_k gets large, the variance of $q^T k$ increases
- some values inside the softmax get large
- the softmax gets very peaked
- hence its gradient gets smaller.
- Solution: Scale by length of query/key vectors:


$$A(Q, K, V) = softmax(\frac{QK^{T}}{\sqrt{d_{k}}})V$$



Multi-head Attention


- Problem with simple self-attention:
 - Only one way for words to interact with one-another
- Solution: Multi-head attention
 - First map Q, K, V into h=8 many lower dimensional spaces via W matrices
 - Then apply attention, then concatenate outputs and pipe through linear layer
 - Multi-head attention allows the model to jointly attend to information from different representation subspaces at different positions.

 $\begin{aligned} \text{MultiHead}(Q, K, V) &= \text{Concat}(\text{head}_1, ..., \text{head}_h) W^O \\ \text{where head}_i &= \text{Attention}(QW_i^Q, KW_i^K, VW_i^V) \end{aligned}$




Multihead

2 heads



h=8 heads



Concatenation

1) Concatenate all the attention heads

	Z_0		Z_1		Z_2			\mathbb{Z}_3		\mathbb{Z}_4		Z ₅		Z ₆		Z ₇					

- - - - - -

3) The result would be the Z matrix that captures information


from all the attention heads. We can send this forward to the FFNN




Linear

2) Multiply with a weight matrix W^o that was trained jointly with the model

Χ




Multi-head Attention




A Transformer block

- Each block has two "sublayers"
 - Multihead attention
 - 2-layer feed-forward NNet (with ReLU)
- Each of these two steps also has:
 - Residual (short-cut) connection: x+sublayer(x)
 - LayerNorm(x+sublayer(x)) changes input features to have mean 0, variance 1, and adds two more parameters (Ba et al. 2016)

$$\mu^l = rac{1}{H}\sum_{i=1}^{H}a_i^l \qquad \sigma^l = \sqrt{rac{1}{H}\sum_{i=1}^{H}\left(a_i^l - \mu^l
ight)^2} \qquad \qquad h_i = f(rac{g_i}{\sigma_i}\left(a_i - \mu_i
ight) + b_i)$$



Residue (Shortcut)



$$egin{aligned} \mu^l = rac{1}{H}\sum_{i=1}^{H}a_i^l \qquad \sigma^l = \sqrt{rac{1}{H}\sum_{i=1}^{H}\left(a_i^l - \mu^l
ight)^2} \qquad \qquad h_i = f(rac{g_i}{\sigma_i}\left(a_i - \mu_i
ight) + b_i) \end{aligned}$$

Encoder Input

- Actual word representations are word pieces: byte pair encoding
 - Start with a vocabulary of characters
 - Most frequent ngram pairs → a new ngram
 - Example: "es, est" 9 times, "lo" 7 times
 - Also added is a **positional encoding** so same words at different locations have different overall representations:

$$PE_{(pos,2i)} = sin(pos/10000^{2i/d_{\text{model}}})$$

$$PE_{(pos,2i+1)} = cos(pos/10000^{2i/d_{\text{model}}})$$

Or learned

Dictionary

5 **lo** w


2 **lo** w e r


6 newest


3 widest

Vocabulary

I, o, w, e, r, n, w, s, t, i, d, es, est, **lo**







Sin/Cos Position Encoding






Figure. Each row corresponds the a positional encoding of a vector. So the first row would be the vector we'd add to the embedding of the first word in an input sequence. Each row contains 512 values – each with a value between 1 and - 1. We've color-coded them so the pattern is visible.

Transformer Encoder


 Blocks are repeated N=6 or more times





Transformer Decoder

- 2 sublayer changes in decoder
 - Masked decoder self-attention on previously generated outputs
 - Encoder-Decoder Attention, where queries come from previous decoder layer and keys and values come from output of encoder
- Blocks repeated N=6 times also



Encoder-Decoder




Illustration of Encoder-Decoder





Illustration of Encoder-Decoder



Thank you!

